

Inlet Caps - CL Series

Model No.	A (In.)	B (In.)	C (In.)	D (In.)	E (In.)	F (In.)	Net Wt. LBS
CL12040	12.06	10.06	3.62	4.22	1.88	4.02	2.80
CL12050	12.06	10.06	3.62	3.94	1.88	5.03	2.80
CL12060	12.06	9.44	3.62	5.38	1.88	6.03	2.80
CL12060A	12.06	9.44	3.62	5.38	1.88	6.03	3.00
CL12060B	12.06	9.44	3.62	5.38	1.88	6.03	2.80
CL12060C	12.06	9.44	3.62	5.38	1.88	6.03	2.80
CL12060D	12.06	9.44	3.62	5.38	1.88	6.03	2.80
CL14050	14.06	12.06	3.75	4.69	1.88	5.03	4.30
CL14055	14.06	12.06	3.75	4.69	1.88	5.53	4.30
CL14060	14.06	12.06	3.75	5.00	1.88	6.03	4.30
CL14060A	14.06	12.06	3.75	5.00	1.88	5.03	4.50
CL14060B	14.06	12.06	3.75	5.00	1.88	5.03	4.50
CL14060C	14.06	12.06	3.75	5.38	1.88	5.03	4.30
CL16055	16.06	13.56	4.25	5.38	1.88	5.53	5.50
CL16055A	16.06	13.56	5.38	5.38	1.88	5.53	5.50
CL16060	16.06	13.56	4.25	5.12	1.88	6.03	5.50
CL16070	16.06	13.56	4.25	4.88	1.88	7.04	5.50
CL16080	16.06	13.56	4.25	5.75	1.88	8.03	5.50
CL16080A	16.06	13.56	4.25	5.57	1.88	8.03	5.50
CL16080B	16.06	13.56	4.25	5.57	1.88	8.03	5.50
CL18060	18.12	15.05	5.50	6.00	1.88	6.03	7.80
CL18070	18.12	15.05	5.50	5.75	1.88	7.04	7.80
SSB-CL14060	14.06	12.06	3.75	5.00	1.88	6.03	4.30
SSB-CL14070A	14.06	12.06	3.75	5.19	1.88	7.00	5.00
SSB-CL16060	16.06	13.56	4.25	5.12	1.88	6.03	5.50
SSB-CL16070	16.06	13.56	4.25	4.88	1.88	7.04	5.50
SSB-CL18060	17.94	14.06	5.50	6.19	1.88	6.03	5.50
SSB-CL18070	17.94	14.06	5.50	5.88	1.88	7.04	6.00
SSB-CL18080	17.94	14.06	5.50	5.88	1.88	8.04	7.00

Metric Measurements

Model No.	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	F (mm.)	Net Wt. KG
CL12040	306.32	255.52	91.95	107.19	47.75	102.11	1.27
CL12050	306.32	255.52	91.95	100.08	47.75	127.76	1.27
CL12060	306.32	239.78	91.95	136.65	47.75	153.16	1.27
CL12060A	306.32	239.78	91.95	136.65	47.75	153.16	1.36
CL12060B	306.32	239.78	91.95	136.65	47.75	153.16	1.27
CL12060C	306.32	239.78	91.95	136.65	47.75	153.16	1.27
CL12060D	306.32	239.78	91.95	136.65	47.75	153.16	1.27
CL14050	357.12	306.32	95.25	119.13	47.75	127.76	1.95
CL14055	357.12	306.32	95.25	119.13	47.75	140.46	1.95
CL14060	357.12	306.32	95.25	127.00	47.75	153.16	1.95
CL14060A	357.12	306.32	95.25	127.00	47.75	153.16	2.04
CL14060B	357.12	306.32	95.25	127.00	47.75	153.16	2.04
CL14060C	357.12	306.32	95.25	136.65	47.75	153.16	1.95
CL14070A	357.12	306.32	95.25	131.83	47.75	177.80	2.27
CL16055	407.92	344.42	107.95	136.65	47.75	140.46	2.49
CL16055A	407.92	344.42	136.65	136.65	47.75	140.46	2.49
CL16060	407.92	344.42	107.95	130.05	47.75	153.16	2.49
CL16070	407.92	344.42	107.95	123.95	47.75	178.82	2.49
CL16080	407.92	344.42	107.95	146.05	47.75	203.96	2.49
CL16080A	407.92	344.42	107.95	146.05	47.75	203.96	2.49
CL16080B	407.92	344.42	107.95	146.05	47.75	203.96	2.49
CL18060	460.25	382.27	139.70	152.40	47.75	153.16	3.54
CL18070	460.25	382.27	139.70	146.05	47.75	178.82	3.54
CL18080	455.68	357.12	139.70	158.75	47.75	204.22	3.18
SSB-CL14060	357.12	306.32	95.25	127.00	47.75	153.16	1.95
SSB-CL14070A	357.12	306.32	95.25	131.83	47.75	177.80	2.27
SSB-CL16060	407.92	319.02	107.95	130.05	47.75	153.16	2.49
SSB-CL16070	407.92	319.02	107.95	123.95	47.75	178.82	2.49

SSB-CL18060	455.67	257.12	139.70	157.23	47.75	153.16	2.49
SSB-CL18070	455.67	357.12	139.70	149.35	47.75	178.82	2.72
SSB-CL18080	455.67	357.12	139.70	149.35	47.75	204.22	3.17



VORTOX AIR TECHNOLOGY, INC.



VORTOX AIR TECHNOLOGY, INC.



VORTOX AIR TECHNOLOGY, INC.

