

Oil Bath Air Cleaners - G Series with Clamps

Model No.	Rated Cap. Airflow CFM	Oil Cap. Pints	A (In.)	B (In.)	C (In.)	D (In.)	E (In.)	F (In.)	G (In.)	H (In.)	J (In.)	Net Wt. LBS
G55	100	1.50	5.56	2.00	2.00	11.50	10.00	3.50	1.44	2.75	90.00	5.20
G65	140	2.00	6.56	2.25	2.25	13.00	11.30	3.50	1.56	3.31	90.00	7.50
G73	190	1.50	7.31	2.50	2.50	14.63	12.90	4.00	1.62	3.37	90.00	9.50
G55AQ	100	3.00	5.56	2.00	2.00	11.34	10.10	3.50	1.44	2.53	90.00	5.20
G65BC	140	4.00	6.57	2.25	2.25	13.00	11.30	3.50	1.56	3.31	90.00	7.50
G73CK	190	3.60	7.31	2.00	2.00	13.12	10.10	3.19	1.62	4.44	90.00	9.50
G73CM	190	3.00	7.31	2.50	2.25	14.63	12.90	4.00	1.62	3.57	180.00	9.50
G73CN	190	1.50	7.31	2.50	2.50	14.63	12.90	4.00	1.62	3.37	90.00	9.50
G73W	190	3.00	7.31	2.50	2.00	14.57	12.90	4.00	1.62	3.44	180.00	9.50

G Series with Clamps - Metric Measurements

Model No.	Rated Cap. Airflow m ³ /h	Oil Cap. Liters	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	F (mm.)	G (mm.)	H (mm.)	J (mm.)	Net Wt. KG
G55	169	0.71	141.22	50.80	50.80	292.10	254.00	88.90	36.57	69.85	2286	2.35
G65	237	0.94	166.62	57.15	57.15	330.20	285.75	88.90	39.62	84.07	2286	3.40
G73	322	0.71	185.67	63.50	63.50	371.60	327.15	101.60	41.15	85.59	2286	4.31
G55AQ	169	1.42	141.22	50.80	50.80	288.03	256.28	88.90	36.58	64.26	2286	2.35
G65BC	237	1.89	166.88	57.15	57.15	330.20	285.75	88.90	39.58	84.07	2286	3.40

G150C2	1739	4.73	382.52	254.00	127.00	547.62	88.90	127.00	66.55	63.50	241.30	63.50	21.32
G160BE2	1906	5.68	407.92	304.80	139.70	546.10	98.55	117.34	57.15	76.20	266.70	63.50	19.50
G160BV2	1484	5.68	407.92	304.80	152.40	596.90	107.95	117.34	57.15	76.20	266.70	63.50	21.77
G180Q2	3058	9.46	457.20	508.00	177.80	625.35	115.82	152.40	81.78	88.90	292.10	73.15	31.52

VORTOX AIR TECHNOLOGY, INC.



VORTOX AIR TECHNOLOGY, INC.

