

Oil Bath Air Cleaners - G Series with Clamps

Model No.	Rated Cap. Airflow CFM	Oil Cap. Pints	A (In.)	B (In.)	C (In.)	D (In.)	E (In.)	F (In.)	G (In.)	H (In.)	J (In.)	Net Wt. LBS
G55	100	1.50	5.56	2.00	2.00	11.50	10.00	3.50	1.44	2.75	90.00	5.20
G65	140	2.00	6.56	2.25	2.25	13.00	11.30	3.50	1.56	3.31	90.00	7.50
G73	190	1.50	7.31	2.50	2.50	14.63	12.90	4.00	1.62	3.37	90.00	9.50
G55AQ	100	3.00	5.56	2.00	2.00	11.34	10.10	3.50	1.44	2.53	90.00	5.20
G65BC	140	4.00	6.57	2.25	2.25	13.00	11.30	3.50	1.56	3.31	90.00	7.50
G73CK	190	3.60	7.31	2.00	2.00	13.12	10.10	3.19	1.62	4.44	90.00	9.50
G73CM	190	3.00	7.31	2.50	2.25	14.63	12.90	4.00	1.62	3.57	180.00	9.50
G73CN	190	1.50	7.31	2.50	2.50	14.63	12.90	4.00	1.62	3.37	90.00	9.50
G73W	190	3.00	7.31	2.50	2.00	14.57	12.90	4.00	1.62	3.44	180.00	9.50

G Series with Clamps - Metric Measurements

Model No.	Rated Cap. Airflow m ³ /h	Oil Cap. Liters	A (mm.)	B (mm.)	C (mm.)	D (mm.)	E (mm.)	F (mm.)	G (mm.)	H (mm.)	J (mm.)	Net Wt. KG
G55	169	0.71	141.22	50.80	50.80	292.10	254.00	88.90	36.57	69.85	2286	2.35
G65	237	0.94	166.62	57.15	57.15	330.20	285.75	88.90	39.62	84.07	2286	3.40
G73	322	0.71	185.67	63.50	63.50	371.60	327.15	101.60	41.15	85.59	2286	4.31
G55AQ	169	1.42	141.22	50.80	50.80	288.03	256.28	88.90	36.58	64.26	2286	2.35
G65BC	237	1.89	166.88	57.15	57.15	330.20	285.75	88.90	39.58	84.07	2286	3.40
G73CK	322	1.70	185.67	50.80	50.80	333.25	257.05	81.03	41.15	112.77	2286	4.30
G73CM	322	1.42	185.67	63.50	57.15	371.60	327.15	101.60	41.15	90.68	4572	4.30
G73CN	322	0.71	185.67	63.50	63.50	371.60	327.15	101.60	41.15	85.60	2286	4.30
G73W	322	1.42	185.67	63.50	50.80	370.08	327.15	101.60	41.15	87.37	4572	4.30

VORTOX

VORTOX AIR TECHNOLOGY, INC.

VORTOX

Oil Bath Air Cleaners - G Series with Rods

Model No.	Rated Cap. Airflow CFM	Oil Cap. Pints	A (In.)	B (In.)	C* (In.)	D (In.)	E (In.)	F (In.)	G (In.)	H (In.)	J (In.)	K (In.)	Net Wt. LBS
G80	260	2.00	8.03	3.00	3.00	16.00	2.06	4.25	2.69	2.00	5.50	1.62	12.70
G100	360	6.00	10.10	3.50	3.50	18.25	2.25	4.38	2.59	2.00	7.00	2.00	21.00
G110	450	8.00	11.00	4.00	3.50	18.75	2.25	4.75	2.68	2.00	7.50	2.12	24.60
G120	600	8.00	12.10	4.00	3.50	19.38	2.31	4.75	2.50	2.50	8.00	2.50	29.00
G135	750	11.00	13.60	5.00	5.00	19.56	3.38	5.00	2.62	2.50	8.50	2.50	32.70
G140	825	11.00	14.10	5.00	5.00	21.12	3.38	5.00	2.62	2.50	8.75	2.50	42.00
G150	900	10.00	15.10	5.00	5.50	21.56	3.50	5.00	2.62	2.50	9.50	2.50	47.00
G180	1300	24.00	18.10	6.00	6.00	22.63	4.06	6.00	3.22	3.50	11.50	2.88	69.50
G100AQ	360	6.00	10.10	3.50	4.00	18.25	2.50	4.40	2.60	2.00	7.00	2.00	21.00
G120CA2	600	8.00	12.10	4.50	4.00	19.38	2.56	4.75	2.50	2.50	8.00	2.50	29.00
G120CG2	590	8.00	12.10	5.00	5.50	18.84	3.38	4.25	2.50	2.50	8.00	2.00	29.00
G120T2	440	8.00	12.10	4.00	4.00	19.38	2.56	4.75	2.50	2.50	8.00	2.50	30.00
G135AC2	740	11.00	13.60	5.00	5.50	19.56	2.50	5.00	2.62	2.50	8.50	2.50	38.00
G140G2	870	11.00	14.10	5.00	5.50	13.62	3.50	5.00	2.62	2.50	8.75	2.50	38.9
G150C2	1024	10.00	15.10	5.00	5.50	21.56	3.50	5.00	2.62	2.50	9.50	2.50	47.00
G160BE2	980	12.00	16.10	5.50	5.50	21.50	3.88	4.62	2.25	3.00	10.50	2.50	43.00
G160BV2	1350	12.00	16.10	6.00	6.00	23.50	4.25	4.62	2.25	3.00	10.50	2.50	48.00
G180Q2	1800	20.00	18.00	7.00	7.00	24.62	4.56	6.00	3.22	3.50	11.50	2.88	69.50



G Series with Rods - Metric Measurements

Model No.	Rated Cap. Airflow m ³ /h	Oil Cap. Liters	A (mm.)	B (mm.)	C* (mm.)	D (mm.)	E (mm.)	F (mm.)	G (mm.)	H (mm.)	J (mm.)	K (mm.)	Net Wt. KG
G80	441	0.94	203.96	76.20	76.20	406.40	52.32	107.95	68.33	50.80	139.70	41.15	5.76
G100	611	2.84	255.52	88.90	88.90	463.55	57.15	111.25	65.78	50.80	177.80	50.80	9.53
G110	764	3.78	279.40	203.20	88.90	476.25	57.15	120.65	68.07	50.80	190.50	53.85	11.16
G120	1019	3.78	306.32	203.20	88.90	492.25	58.67	120.65	63.50	63.50	203.20	63.50	13.15
G135	1274	5.20	344.42	279.40	127.00	496.82	85.85	127.00	66.55	63.50	215.90	63.50	14.83
G140	1401	5.20	357.12	279.40	127.00	536.44	85.85	127.00	66.55	63.50	222.25	63.50	19.05
G150	1529	4.73	382.52	254.00	127.00	547.62	88.90	127.00	66.55	63.50	241.30	63.50	21.32
G180	2208	11.35	460.50	609.60	152.40	574.80	130.12	152.40	81.78	88.90	292.10	73.15	31.52
G100AQ	611	2.84	255.52	152.40	88.90	463.55	63.50	111.76	66.04	50.80	177.80	50.80	9.53
G120CA2	1019	3.78	306.32	203.20	114.30	492.25	65.02	120.35	63.50	63.50	203.20	63.50	13.15
G120CG2	1002	3.78	306.32	203.20	127.00	478.54	85.85	107.95	63.50	63.50	203.20	50.80	13.15
G120T2	747	3.78	306.32	203.20	101.60	492.25	65.02	102.65	63.50	63.50	203.20	63.50	13.61
G135AC2	1257	5.20	344.42	279.40	127.00	496.82	63.50	127.00	66.55	63.50	215.90	63.50	17.24
G140G2	1478	5.20	357.12	279.40	127.00	345.94	88.90	127.00	66.55	63.50	222.25	63.50	17.64
G150C2	1739	4.73	382.52	254.00	127.00	547.62	88.90	127.00	66.55	63.50	241.30	63.50	21.32
G160BE2	1665	5.68	407.92	304.80	139.70	546.10	98.55	117.34	57.15	76.20	266.70	63.50	19.50
G160BV2	2293	5.68	407.92	304.80	152.40	596.90	107.95	117.34	57.15	76.20	266.70	63.50	21.77
G180Q2	3058	9.46	457.20	508.00	177.80	625.35	115.82	152.40	81.78	88.90	292.10	73.15	31.52

VORTOX AIR TECHNOLOGY, INC.

VORTOX AIR TECHNOLOGY, INC.